Eddie Baza Calvo Governor



GENERAL SERVICES AGENCY Government of Guam 148 Route 1 Marine Drive Corp Piti, Guam 96915

Ray Tenorio Lt. Governor

Anthony C. Blaz Director, Dept. of Admin.

Deputy Director

October 06, 2015

Invitation for Bid GSA-136-15 ELECTRIC REACH\TRUCK FORKLIFT

AMENDMENT #3

- 1. Amend to replace pages 29, 30, and 33 with the "Revised 10/05/15" 29, 30, and 33 (attached)
- 2. Amend to change "Required Delivery" date to now read the following:

From:

Required Delivery Date: 60 Days Upon Receipt of Purchase Order

To Now Read:

Required Delivery Date: 140 Days Upon Receipt of Purchase Order.

3. Amend to include the following verbiage:

A "Site Visit" will be conducted on October 9, 2015 at 9:00am at the General Services Agency Point of Contact is Mr. Raymond Bamba at 475-1729 or 475-1707.

All others remain unchanged

CLAUDIA S. ACFALLE

Chief Procurement Officer

ITEM				UNIT	PRICE
NO.	DESCRIPTION	QTY	UOM PRICE	EXTENSION	
1.1	Electric Reach Truck\Fork lift (Latest Model) as per the following specifications	1	EA. \$	\$	-
GENER	ALS:				
	pecifications have been written to descri				
the equ	ipment manufacturer bidding. Reasonab	le test n	nay be conducted upo	on delivery before	e acceptance.
The suc equipm	ccessful bidder shall furnish all necessary ent.	y and d	esirable information	instructions for	the proper operation of the
	vernment reserves the right to accept ation discrepancies and to award the bid		= =		
	each Truck shall be new / unused, current applicable federal and local regulations\s				truck delivered shall comply
literatu	each truck shall be supplied with all sta- re/brochure unless specifically deleted a ments of this specification shall be installe	s stated	• •		•
<u>SPECIFI</u>	<u>CATIONS</u> :			BIDDII	NG ON / REMARKS:
<u>Drive:</u> Electric	with AC control.				
	Capacity: os. Minimum. Maximum lift capacity at fo	ork heig	ht shall be no less 1,0	000 lbs.	
Mach					
<u>Mast:</u> Triple S	tage. Max fork height – 190 inches minim	um.			
-	ed mast height - 87 inches minimum.				·
clearan	<u>e:</u> riage shall be single reach with tilt and fo ce of base arms shall be no more than 48 vider than that of the base arms open end	inches	wide. The load back i	•	
Flaatsia	al Customs				
Manufa Deliver	al System: acturer's standard battery and charger. Ch y. Battery storage system shall include any es to allow for easy removal and replacem	/ availat			(6)
	der is responsible for any or all electrical e of battery charger offered by bidder.	require	ements to properly in	stall	
Operate	or's Station:				
overhea	d stand up type, forward facing\stance. So ad guard. Conforms to all current industry acture's standard features as stated in bro	/ standa		d	
	42 inches long minimum\48 inches long		ım		
	g: Electric\Power, with manufacturer's s	standar	d fixed or		

121

SPECI	<u>FICATIONS</u> :	BIDDING ON / REMARKS:
	Wheels: ard size with rubber drive wheel option if available.	+10
<u>Color:</u> Manu	facturer's standard color.	<u></u>
The in The or Shall por gre	nill Features: Intended use of the Reach Truck will be within a Dry, Un-Refrigerated warehouse. Intended use of the Reach Truck will be within a Dry, Un-Refrigerated warehouse. Inversall dimensions, turning radius and features of the equipment to be delivered Inprovide optimal performance and maneuvering capabilities in areas with 9ft. wide Inversall widths. The reach truck shall be able to pass through access doorways Inpenings of 10 ft. high x 8 ft. wide or greater.	
_	pplicable safety and anti-vandalism options as stated in the manufacturer's ure shall be provided.	240
Equip	y Equipment: ment shall meet all applicable OSHA regulations. All safety, instruction, yarning labels shall be in English.	
Backu Strobe Count Stand	ional options: p alarm and electric horn. e, amber beacon light (Flush mounted or magnetic on top of overhead guard. eer weights: Manufacturer's recommended amount if required. ard work lights to include rear work lights. and Tilt locking control valve.	
Note:	1) Equipment shall be fully assembled with all attachments \ accessories.	
	2) Factory recommended Pre-Operation serviced.	
	3) Operation ready upon delivery to GSA.	
Opera	red Manuals: (1 ea. Hard copy & CD ROM Illustrated all in English) ator's, Shop Repair & Preventive Maintenance and parts manuals for all onents of equipment delivered. To include troubleshooting and diagnostic iques.	γ.
Line s	etting ticket; fast moving parts list.	
	ings: anent\Visible adhesive markings must be installed upon delivery. ng shall include the following: (on both sides of equipment)	
1) Go	vernment of Guam\For official use only (to include equipment number)	
	partment \Agency Logo. (Contact Dept. representative for design) ogo design is not available, abbreviated Dept. name is acceptable.	
3) 2 ii	nch lettering required.	

() Yes, as requested:	
() NO, remarks:	
Due to nature of services provided by the Government of Guam all maintenance a shall be subject to priority scheduling and performed expeditiously.	and warranty repairs
() Yes, as requested:	
() NO, remarks:	
If equipment is out of service for (7) seven consecutive days or longer awaiting patime will added to all existing warranty and service periods.	rts, service or repairs, the total amount o
() Yes, as requested:	
() NO, remarks:	<u> </u>
2	19
NOTE:	
· Value	
Bidder is required to submit a copy of manufacture/factory trained/authorized ten (10) days upon receipt of "Notice of Intent of Award".	technicians/certification no later than
All requirements specified must be provided at time of delivery.	
Bidder shall identify on their bids any deviations from requirement on remarks co evaluation processing. Failure to comply may result in rejection of bid.	lumn and state item being offered to
Manufacture's brochure shall be furnished with this bid proposal.	
Certificate of Origin will be provided at time of delivery.	
Equipment must be delivered to the General Services Agency for inspection.	
BIDDING ON:	
MANUFACTURED BY:	
YEAR:	
MAKE:	
MODEL:	
DATE OF DELIVERY:	
These specifications were developed by the staff of the General Services Agency	y and approved by:
CLAUDIA S. ACFALLE Chief Procurement Officer	

All warranty and maintenance services shall be performed by manufacture\factory trained \ authorized technicians.